

Stein Mart, Inc.

852

Product Activity Data

X.12 EDI/852/V4010:

EDI Implementation Guide

Table of Contents

852 Product Activity Data Overview	6
ISA – GS envelope:	6
Heading:.....	6
Detail:	6
Summary:.....	6
GE – IEA envelope:	6
Notes:	6
ISA Interchange Control Header	7
Element Summary	7
ISA01 I01 Authorization Information Qualifier.....	7
ISA02 I02 Authorization Information.....	7
ISA03 I03 Security Information Qualifier.....	7
ISA04 I04 Security Information.....	7
ISA05 I05 Interchange ID Qualifier	7
ISA06 I06 Interchange Sender ID.....	7
ISA07 I05 Interchange ID Qualifier.....	8
ISA08 I07 Interchange Receiver ID.....	8
ISA09 I08 Interchange Date.....	8
ISA10 I09 Interchange Time.....	8
ISA11 I65 Repetition Separator.....	8
ISA12 I11 Interchange Control Version Number.....	8
ISA13 I12 Interchange Control Number.....	8
ISA14 I13 Acknowledgment Requested.....	8
ISA15 I14 Usage Indicator.....	8
ISA16 I15 Component Element Separator.....	9
GS Functional Group Header	10
Element Summary:.....	10
GS01 479 Functional Identifier Code.....	10
GS02 142 Application Sender's Code.....	10
GS03 124 Application Receiver's Code.....	10
GS04 373 Date.....	10
GS05 337 Time.....	10
GS06 28 Group Control Number.....	10
GS07 455 Responsible Agency Code.....	10
GS08 480 Version / Release / Industry ID Code.....	11
Semantics:	11
Comments:.....	11

ST Transaction Set Header	12
Element Summary:.....	12
ST01 143 Transaction Set Identifier Code.....	12
ST02 329 Transaction Set Control Number.....	12
Semantics:	12
XQ Reporting Date/Action	13
Element Summary:.....	13
XQ01 305 Transaction Handling Code.....	13
XQ02 373 Date.....	13
XQ03 373 Date.....	13
Semantics:	13
N9 Reference Identification	14
Element Summary:.....	14
N901 128 Reference Identification Qualifier	14
N902 127 Reference Identification.....	14
N1 Name	15
Element Summary:.....	15
N101 98 Entity Identifier Code.....	15
N102 93 Name.....	15
LIN Item Identification	16
Element Summary:.....	16
LIN02 235 Product/Service ID Qualifier.....	16
LIN03 234 Product/Service ID.....	16
LIN04 235 Product/Service ID Qualifier.....	16
LIN05 234 Product/Service ID.....	16
LIN06 235 Product/Service ID Qualifier.....	16
LIN07 234 Product/Service ID.....	16
LIN08 235 Product/Service ID Qualifier.....	16
LIN09 234 Product/Service ID.....	16
Syntax Rules:.....	17
ZA Product Activity Reporting	18
Element Summary:.....	18
ZA01 859 Activity Code.....	18
Semantics:	18
CTP Pricing Information	19
Element Summary:.....	19
CTP02 236 Price Identifier Code.....	19
CTP03 212 Unit Price.....	19
User Note 1:	19

SDQ Destination Quantity	20
Element Summary:.....	20
SDQ01 355 Unit or Basis for Measurement Code.....	20
SDQ02 66 Identification Code Qualifier.....	20
SDQ03 67 Identification Code.....	20
SDQ04 380 Quantity.....	20
SDQ05 67 Identification Code.....	20
SDQ06 380 Quantity.....	20
SDQ07 67 Identification Code.....	20
SDQ08 380 Quantity.....	20
SDQ09 67 Identification Code.....	20
SDQ10 380 Quantity.....	21
SDQ11 67 Identification Code.....	21
SDQ12 380 Quantity.....	21
SDQ13 67 Identification Code.....	21
SDQ14 380 Quantity.....	21
SDQ15 67 Identification Code.....	21
SDQ16 380 Quantity	21
SDQ17 67 Identification Code.....	21
SDQ18 380 Quantity.....	21
SDQ19 67 Identification Code.....	21
SDQ20 380 Quantity	21
SDQ21 67 Identification Code.....	21
SDQ22 380 Quantity.....	21
Syntax Rules:.....	22
User Note 1:	22
User Note 2:	22
 CTT Transaction Totals	 23
Element Summary:.....	23
CTT01 354 Number of Line Items	23
User Note 1:	23
 SE Transaction Set Trailer	 24
Element Summary:.....	24
SE01 96 Number of Included Segments.....	24
SE02 329 Transaction Set Control Number.....	24
User Note 1:	24
Comments:.....	24
 GE Functional Group Trailer	 25
Element Summary:.....	25
GE01 97 Number of Transaction Sets Included.....	25
GE02 28 Group Control Number.....	25
Semantics:	25
Comments:.....	25

IEA Interchange Control Trailer	26
Element Summary:.....	26
IEA01 I16 Number of Included Functional Groups..	26
IEA02 I12 Interchange Control Number.....	26
User Note 1:	26
Business Rules	27
Implementation	27
Processing	27
Header Level	27
Detail Level	27
Business Example:	28

852 Product Activity Data Overview

Functional Group=PD

This Standard for Trial Use contains the format and establishes the data contents of the Product Activity Data Transaction Set (852) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to advise a trading partner of inventory, sales, and other product activity information. Product activity data enables a trading partner to plan and ship, or propose inventory replenishment quantities, for distribution centers, warehouses or retail outlets. The receiver of the transaction set will maintain some type of inventory/product movement records for its trading partners to enable replenishment calculations based on data provided by the distributor, warehouse or retailer.

ISA – GS envelope:

Pos	Id	Segment Name	Req	Max Use	Repeat	Notes
1	ISA	Interchange Control Header	M	1		
2	GS	Functional Group Header	M	1		

Heading:

Pos	Id	Segment Name	Req	Max Use	Repeat	Notes
10	ST	Transaction Set Header	M	1		
20	XQ	Reporting Date/Action	M	1		
40	N9	Reference Identification	O	999999		
70	N1	Name	M	1		

Detail:

Pos	Id	Segment Name	Req	Max Use	Repeat	Notes
LOOP ID – LIN					999999	
170	LIN	Item Identification	M	1		
LOOP ID – LIN – ZA					999999	
250	ZA	Product Activity Reporting	M	1		ZA/250
270	CTP	Pricing Information	O	25		
280	SDQ	Destination Quantity	O	999999		

Summary:

Pos	Id	Segment Name	Req	Max Use	Repeat	Notes
320	CTT	Transaction Totals	O	1		CCT/320
330	SE	Transaction Set Trailer	M	1		

GE – IEA envelope:

Pos	Id	Segment Name	Req	Max Use	Repeat	Notes
998	GE	Functional Group Trailer	M	1		
999	IEA	Interchange Control Trailer	M	1		

Notes:

ZA/250 The quantity for the item identified in the LIN segment is required. Quantity is specified either in the ZA segment (ZA02) or in the SDQ segment.

CCT/320 The number of line items (CTT01) is the accumulation of the number of LIN segments. Hash total (CTT02) is not used in this transaction set. When sending item and activity data in the LIN loop, the CTT segment is required.

ISA Interchange Control Header

Pos: 1 Max: 1
 ISA – GS envelope – Mandatory
 Loop: N/A Elements: 16

To start and identify an interchange of zero or more functional groups and interchange-related control segments

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max
ISA01	I01	Authorization Information Qualifier	M	ID	2/2
		Description: Code identifying the type of information in the Authorization Information Code Name 00 No Authorization Information Present (No Meaningful Information in I02)			
ISA02	I02	Authorization Information	M	AN	10/10
		Description: Information used for additional identification or authorization of the interchange sender or the data in the interchange; the type of information is set by the Authorization Information Qualifier (I01) User Note 1 Ten blank positions.			
ISA03	I03	Security Information Qualifier	M	ID	2/2
		Description: Code identifying the type of information in the Security Information Code Name 00 No Security Information Present (No Meaningful Information in I04)			
ISA04	I04	Security Information	M	AN	10/10
		Description: This is used for identifying the security information about the interchange sender or the data in the interchange; the type of information is set by the Security Information Qualifier (I03) User Note 1 Ten blank positions.			
ISA05	I05	Interchange ID Qualifier	M	ID	2/2
		Description: Code indicating the system/method of code structure used to designate the sender or receiver ID element being qualified Code Name 00 Duns (Dun & Bradstreet)			
ISA06	I06	Interchange Sender ID	M	AN	15/15
		Description: Identification code published by the sender for other parties to use as the receiver ID to route data to them; the sender always codes this value in the sender ID element User Note 1: Stein Mart sender ID: 007041346			

Ref	Id	Element Name	Req	Type	Min/Max
ISA07	I05	Interchange ID Qualifier	M	ID	2/2
		Description: Code indicating the system/method of code structure used to designate the sender or receiver ID element being qualified			
		Code Name			
		08 UCC EDI Communications ID (Comm ID)			
ISA08	I07	Interchange Receiver ID	M	AN	15/15
		Description: Identification code published by the receiver of the data; When sending, it is used by the sender as their sending ID, thus other parties sending to them will use this as a receiving ID to route data to them			
		User Note 1: Vendor's 10 digit phone			
ISA09	I08	Interchange Date	M	DT	6/6
		Description: Date of the interchange			
ISA10	I09	Interchange Time	M	TM	4/4
		Description: Time of the interchange			
ISA11	I65	Repetition Separator	M		1/1
		Description: Type is not applicable; the repetition separator is a delimiter and not a data element; this field provides the delimiter used to separate repeated occurrences of a simple data element or a composite data structure; this value must be different than the data element separator, component element separator, and the segment terminator			
ISA12	I11	Interchange Control Version Number	M	ID	5/5
		Description: Code specifying the version number of the interchange control segments			
		Code Name			
		00401 Draft Standards for Trial Use Approved for Publication by ASC X12 Procedures Review Board through October 1999			
ISA13	I12	Interchange Control Number	M	N0	9/9
		Description: A control number assigned by the interchange Sender			
ISA14	I13	Acknowledgment Requested	M	ID	1/1
		Description: Code indicating sender's request for an interchange acknowledgment			
		Code Name			
		0 No Acknowledgment Requested			
ISA15	I14	Usage Indicator	M	ID	1/1
		Description: Code indicating whether data enclosed by this interchange envelope is test, production or information			
		Code Name			
		P Production Data			
		T Test Data			

Ref	Id	Element Name	Req	Type	Min/Max
ISA16	I15	Component Element Separator			

Description: Type is not applicable; the component element Separator is a delimiter and not a data element; this field Provides the delimiter used to separate component data Elements within a composite data structure; this value must be different than the data element separator and the segment terminator

GS Functional Group Header

Pos: 2 Max: 1
 ISA – GS envelope - Mandatory
 Loop: N/A Elements: 8

To indicate the beginning of a functional group and to provide control information

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max
GS01	479	Functional Identifier Code Description: Code identifying a group of application related transaction sets Code Name PD Product Activity Data (852)	M	ID	2/2
GS02	142	Application Sender's Code Description: Code identifying party sending transmission; codes agreed to by trading partners User Note 1: same as ISA06	M	AN	2/15
GS03	124	Application Receiver's Code Description: Code identifying party receiving transmission; codes agreed to by trading partners User Note 1: same as ISA08	M	AN	2/15
GS04	373	Date Description: Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year	M	DT	8/8
GS05	337	Time Description: Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	M	TM	4/8
GS06	28	Group Control Number Description: Assigned number originated and maintained by the sender	M	N0	1/9
GS07	455	Responsible Agency Code Description: Code identifying the issuer of the standard; this code is used in conjunction with Data Element 480 Code Name X Accredited Standards Committee X12	M	ID	1/2

Ref	Id	Element Name	Req	Type	Min/Max
GS08	480	Version / Release / Industry Identifier Code	M	AN	1/12

Description: Code indicating the version, release, sub release, and industry identifier of the EDI standard being used, including the GS and GE segments; if code in DE455 in GS segment is X, then in DE 480 positions 1-3 are the version number; positions 4-6 are the release and sub release, level of the version; and positions 7-12 are the industry or trade association identifiers (optionally assigned by user); if code in DE455 in GS segment is T, then other formats are allowed

Code Name

004010 Draft Standards Approved for Publication by ASC X12 Procedures Review Board through October 1999

Semantics:

1. GS04 is the group date.
2. GS05 is the group time.
3. The data interchange control number GS06 in this header must be identical to the same data element in the associated functional group trailer, GE02.

Comments:

1. A functional group of related transaction sets, within the scope of X12 standards, consists of a collection of similar transaction sets enclosed by a functional group header and a functional group trailer.

ST Transaction Set Header

Pos: 10 Max: 1
Heading - Mandatory
Loop: N/A Elements: 2

To indicate the start of a transaction set and to assign a control number

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max
ST01	143	Transaction Set Identifier Code	M	ID	3/3
		Description: Code uniquely identifying a Transaction Set			
		Code Name			
		852 Product Activity Data			
ST02	329	Transaction Set Control Number	M	AN	4/9

Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set

User Note 1: The number is sequentially assigned by the sender, starting with one within each functional group. For each functional group, the first transaction set control number will be 0001 and incremented by one for each additional transaction set within the group.

Semantics: 1. The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

XQ Reporting Date/Action

Pos: 20 Max: 1
Heading - Mandatory
Loop: N/A Elements: 3

To specify reporting date and action to be taken

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max
XQ01	305	Transaction Handling Code Description: Code designating the action to be taken by all parties Code Name H Notification Only	M	ID	½
XQ02	373	Date Description: Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year User Note 1: Starting date of the report (Sunday)	M	DT	8/8
XQ03	373	Date Description: Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year User Note 1: Ending date of the report (Saturday)	O	DT	8/8

Semantics:

1. XQ02 is the reporting date. If reporting a date range, then XQ02 is the start date and XQ03 is the end date.

N9 Reference Identification

Pos: 40 Max: >1
Heading - Optional
Loop: N/A Elements: 2

To transmit identifying information as specified by the Reference Identification Qualifier

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max
N901	128	Reference Identification Qualifier	M	ID	2/3
		Description: Code qualifying the Reference Identification			
		Code Name			
		CR Customer Reference Number			
N902	127	Reference Identification	X	AN	1/50
		Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier – Stein Mart’s vendor number for this Trading Partner Must be 9 numeric digits – use leading zeroes			

N1 Name

Pos: 70 Max: 1
Heading - Mandatory
Loop: N1 Elements: 2

To transmit identifying information as specified by the Entity Identifier Code

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max
N101	98	Entity Identifier Code Description: Code qualifying the Entity Name Code Name DV Division	M	ID	2/3
N102	93	Name Description: Name as defined for a particular Transaction Set or as specified by the Entity Identifier Code – Name of the Trading Partner's Division	X	AN	1/60

LIN Item Identification

Pos: 170 Max: 1
 Detail - Optional
 Loop: LIN Elements: 8

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max
LIN02	235	Product/Service ID Qualifier	M	ID	2/2
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234) Code Name SK SKU			
LIN03	234	Product/Service ID	M	AN	1/48
		Description: Identifying number for a product or service User Note 1: SKU number			
LIN04	235	Product/Service ID Qualifier	X	ID	2/2
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234) Code Name UP UPC			
LIN05	234	Product/Service ID	X	AN	1/48
		Description: Identifying number for a product or service User Note 1: 12 digit UPC number			
LIN06	235	Product/Service ID Qualifier	X	ID	2/2
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234) Code Name MN Model			
LIN07	234	Product/Service ID	X	AN	1/48
		Description: Identifying number for a product or service User Note 1: Vendor Model number			
LIN08	235	Product/Service ID Qualifier	X	ID	2/2
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234) Code Name UK EAN/UPC			
LIN09	234	Product/Service ID	X	AN	1/48
		Description: Identifying number for a product or service User Note 1: 14 digit UPC number			

Syntax Rules:

1. If either LIN02 or LIN03 is present, then the other is required.
2. If either LIN04 or LIN05 is present, then the other is required.
3. If either LIN06 or LIN07 is present, then the other is required.
4. If either LIN08 or LIN09 is present, then the other is required.

ZA Product Activity Reporting

Pos: 250 Max: 1
Detail - Mandatory
Loop: LIN-ZA Elements: 1

To provide activity details concerning product being reported

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max
ZA01	859	Activity Code	M	ID	2/2

Description: Code identifying activity details for the product being reported

Code Name

QA Current Inventory Quantity Available for Shipment or Sale
QP Quantity On Order, Not Yet Received
QS Quantity Sold
QU Quantity Returned

Semantics:

1. This segment will not be generated if all of the quantities for the code are zero.

CTP Pricing Information

Pos: 270 Max: 25
Detail - Optional
Loop: ZA Elements: 2

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max
CTP02	236	Price Identifier Code	X	ID	3/3
CTP03	212	Unit Price	X	R	1/17

Description: Code identifying pricing specification

Code Name
RTL Retail

Description: Price per unit of product, service, commodity, etc.

User Note 1: Price contains a maximum of 6 integers and 2 decimal positions.

The price is sent with a decimal point only when needed, e.g., \$15.95 would be sent as ``15.95", and \$29.00 would be sent as ``29".

The average unit sale price is calculated by dividing the total dollar sales by the total unit sales. For example, if the total dollar sale is \$255, and total unit sales is 50, the average unit price would be \$5.10.

Semantics:

1. This segment will only be generated if the ZA code is QS (QTY Sold).

User Note 1:

The prices specified in this segment, in the ZA loop, apply only to quantities within that ZA loop, e.g., quantities in the ZA or SDQ segments. This price will override the same price type listed in the LIN loop, if used. This segment is used to report prices associated with the item and activity. It is not used to report total dollar values. This segment can also be used to further define quantity sold/quantity on order within the associated ZA loop by sales type (i.e., promotion/event sales, clearance/markdown sales, non-promotion/non-markdown sales).

SDQ Destination Quantity

Pos: 280 Max: >1
 Detail - Optional
 Loop: ZA Elements: 22

To specify destination and quantity detail

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max
SDQ01	355	Unit or Basis for Measurement Code Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken Code Name EA Each	M	ID	2/2
SDQ02	66	Identification Code Qualifier Description: Code designating the system/method of code structure used for Identification Code (67) Code Name 92 Assigned by Buyer or Buyer's Agent	O	ID	1/2
SDQ03	67	Identification Code Description: Code identifying a party or other code User Note 1: Store number	M	AN	2/80
SDQ04	380	Quantity Description: Numeric value of quantity	M	R	1/15
SDQ05	67	Identification Code Description: Code identifying a party or other code User Note 1: Store number	O	AN	2/80
SDQ06	380	Quantity Description: Numeric value of quantity	X	R	1/15
SDQ07	67	Identification Code Description: Code identifying a party or other code User Note 1: Store number	O	AN	2/80
SDQ08	380	Quantity Description: Numeric value of quantity	X	R	1/15
SDQ09	67	Identification Code Description: Code identifying a party or other code User Note 1: Store number	O	AN	2/80

Ref	Id	Element Name	Req	Type	Min/Max
SDQ10	380	Quantity Description: Numeric value of quantity	X	R	1/15
SDQ11	67	Identification Code Description: Code identifying a party or other code User Note 1: Store number	O	AN	2/80
SDQ12	380	Quantity Description: Numeric value of quantity	X	R	1/15
SDQ13	67	Identification Code Description: Code identifying a party or other code User Note 1: Store number	O	AN	2/80
SDQ14	380	Quantity Description: Numeric value of quantity	X	R	1/15
SDQ15	67	Identification Code Description: Code identifying a party or other code User Note 1: Store number	O	AN	2/80
SDQ16	380	Quantity Description: Numeric value of quantity	X	R	1/15
SDQ17	67	Identification Code Description: Code identifying a party or other code User Note 1: Store number	O	AN	2/80
SDQ18	380	Quantity Description: Numeric value of quantity	X	R	1/15
SDQ19	67	Identification Code Description: Code identifying a party or other code User Note 1: Store number	O	AN	2/80
SDQ20	380	Quantity Description: Numeric value of quantity	X	R	1/15
SDQ21	67	Identification Code Description: Code identifying a party or other code User Note 1: Store number	O	AN	2/80
SDQ22	380	Quantity Description: Numeric value of quantity	X	R	1/15

Syntax Rules:

1. P0506 - If either SDQ05 or SDQ06 is present, then the other is required.
2. P0708 - If either SDQ07 or SDQ08 is present, then the other is required.
3. P0910 - If either SDQ09 or SDQ10 is present, then the other is required.
4. P1112 - If either SDQ11 or SDQ12 is present, then the other is required.
5. P1314 - If either SDQ13 or SDQ14 is present, then the other is required.
6. P1516 - If either SDQ15 or SDQ16 is present, then the other is required.
7. P1718 - If either SDQ17 or SDQ18 is present, then the other is required.
8. P1920 - If either SDQ19 or SDQ20 is present, then the other is required.
9. P2122 - If either SDQ21 or SDQ22 is present, then the other is required.

User Note 1:

This segment is used to distribute item quantity to various locations.

If this segment is used to specify the quantity of the item identified in the LIN segment, ZA02 and ZA03 are not used.

SDQ03 - Depending on the level of summarization selected by a supplier, data element 67 (store number) contents represents the following summarization level:

XXX - Store number

User Note 2:

In all instances of Data Element 67, a three digit store number will be sent.

CTT Transaction Totals

Pos: 320 Max: 1
Summary - Optional
Loop: N/A Elements: 1

To transmit a hash total for a specific element in the transaction set

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max
CTT01	354	Number of Line Items Description: Total number of line items in the transaction set	M	N0	1/6

User Note 1:

The number of LIN segments (line items) present in the transaction set

SE Transaction Set Trailer

Pos: 330 Max: 1
Summary - Mandatory
Loop: N/A Elements: 2

To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max
SE01	96	Number of Included Segments	M	N0	1/10
		Description: Total number of segments included in a transaction set including ST and SE segments			
SE02	329	Transaction Set Control Number	M	AN	4/9
		Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set			

User Note 1:

1. This must be the same number as is in the ST segment (ST02) for the transaction set.

Comments:

1. SE is the last segment of each transaction set.

GE Functional Group Trailer

Pos: 998 Max: 1
GE – IE envelope - Mandatory
Loop: N/A Elements: 2

To indicate the end of a functional group and to provide control information

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max
GE01	97	Number of Transaction Sets Included	M	N0	1/6
		Description: Total number of transaction sets included in the functional group or interchange (transmission) group terminated by the trailer containing this data element			
GE02	28	Group Control Number	M	N0	1/9
		Description: Assigned number originated and maintained by the sender			

Semantics:

1. The data interchange control number GE02 in this trailer must be identical to the same data element in the associated functional group header, GS06.

Comments:

1. The use of identical data interchange control numbers in the associated functional group header and trailer is designed to maximize functional group integrity. The control number is the same as that used in the corresponding header.

IEA Interchange Control Trailer

Pos: 999 Max: 1
GE – IEA envelope - Mandatory
Loop: N/A Elements: 2

To define the end of an interchange of zero or more functional groups and interchange-related control segments

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max
IEA01	I16	Number of Included Functional Groups Description: A count of the number of functional groups included in an interchange	M	N0	1/5
IEA02	I12	Interchange Control Number Description: A control number assigned by the interchange sender	M	N0	9/9

User Note 1:

This must be the same number as is in the ISA segment (ISA13).

852 PRODUCT ACTIVITY BUSINESS RULES

The purpose of this document is to provide an understanding of Stein Mart's use of some of the major sections in the 852 Product Activity Data document.

IMPLEMENTATION

Suppliers must complete the EDI Trading Partner Worksheet and email it to edi@steinmart.com . The supplier can also specify which items are to be included [all supplier items, specific Divisions or specific Departments]. We are currently doing Division 6, intimate apparel. This form can also be obtained on the Stein Mart web site <http://services.steinmart.net/> .

PROCESSING

The sales data represents Sunday through Saturday sales and will be transmitted on a weekly basis. Under normal circumstances, this data should be available to suppliers on Tuesday morning. If no sales have occurred during the reporting period, no sales data will be sent for the report. On-hand and on-order data, is as of close of business on Saturday. The on-hand data will already reflect the weekly sales activity. Do not subtract sales from on-hand to derive a new on-hand figure. If sales, returns, on-hand or on-order is zero, no data will be sent for the zero quantity. The item SKU level is the level of sales data summarization. Average Retail Price is calculated by dividing the total dollar sales by the total unit sales for the week.

HEADER LEVEL

REPORTING DATE/ACTION [XQ]

The purpose of this segment is to identify start and end date of the report. The transaction handling code [XQ01] is 'H' [Notification only].

DETAIL LEVEL

ITEM IDENTIFICATION [LIN]

The data contents in this segment will depend upon the level of summarization. There will be one LIN segment for each SKU.

There are 4 different identifiers on the SKU segment as follows:

SKU number

UPC – 12 digits provided it is loaded in the Stein Mart data base

Vendor Model number

EAN/UPC – 14 digits provided it is loaded in the Stein Mart data base

If you receive a LIN without a UPC or EAN, email edi@steinmart.com with the SKU and UPC and EAN (associated with this SKU) so that it can be added to the Stein Mart's data base.

PRODUCT ACTIVITY REPORTING [ZA]

This segment identifies the type of activity. The activity codes [ZA01] are QA (Quantity Available or On-Hand), QP (On-Order Quantity), QS (Quantity Sold) QU (Quantity Returned).

PRICING INFORMATION [CTP]

The purpose of this segment is to provide the average unit sales price [CTP03] of the merchandise quantity sold in the preceding LIN segment. The average unit sale price is calculated by dividing the total dollar sales by the total unit sales.

DESTINATION QUANTITY [SDQ]

This segment will provide the quantity sold by location. SDQ03 [store number] contents represents the the three digit Stein Mart Store number. Data element 380 [SDQ04,06,08,10,12,14,16,18, 20, and 22] is the unit quantity for the activity code [ZA].

852 PRODUCT ACTIVITY DATA

Business Example:

ISA*00* 00* 01*007041346 *08*6111151100 *090223*2112*
U*00401*000000984*0*T:~
GS*PD*007041346*6111151100*20090223*2112*984*X*004010~
ST*852*9330001~
XQ*H*20090215*20090221~
N9*CR*000025599~
N1*DV*Vendor Division Name~
LIN**SK*12760393*UP*014671135800*MN*7959*UK*00014671135800~
ZA*QA~
SDQ*EA*92*276*1*314*1*318*1*322*1*323*1*324*2*325*1*328*1*329*1*333*1~
SDQ*EA*92*334*1*336*1*338*1~
ZA*QP~
SDQ*EA*92*339*1~
LIN**SK*12760401*UP*014671135794*MN*7959*UK*00014671135794~
ZA*QA~
SDQ*EA*92*001*1*003*2*004*3*006*2*007*1*008*1*010*2*011*1*012*2*013*2~
SDQ*EA*92*014*2*015*1*016*2*018*2*019*2*022*3*024*2*025*1*026*2*027*2~
SDQ*EA*92*028*1*029*1*030*1*031*1*033*2*036*3*037*2*038*3*039*10*040*2~
SDQ*EA*92*041*2*042*3*043*2*044*2*045*1*046*1*047*1*048*2*049*2*050*2~
SDQ*EA*92*051*2*052*2*053*2*054*3*055*2*057*1*058*1*060*2*061*2*062*2~
SDQ*EA*92*063*1*065*1*066*1*067*2*068*1*069*2*070*2*071*2*072*1*073*1~
SDQ*EA*92*074*1*075*2*076*2*077*1*078*1*079*1*080*2*081*2*082*2*084*1~
SDQ*EA*92*085*2*086*2*087*2*088*3*089*1*090*2*091*1*092*2*093*2*094*2~
SDQ*EA*92*096*1*097*1*098*1*099*1*100*3*102*1*103*2*104*1*105*2*106*2~
SDQ*EA*92*107*1*108*2*112*2*113*2*116*2*117*1*118*2*119*2*120*2*121*2~
SDQ*EA*92*122*3*123*1*124*2*125*2*126*1*127*2*130*2*131*2*132*2*134*1~
SDQ*EA*92*135*2*136*2*137*2*138*2*139*2*140*2*141*1*143*2*146*2*148*1~
SDQ*EA*92*149*3*153*3*154*3*155*3*158*1*160*1*161*2*167*1*174*1*175*1~
SDQ*EA*92*177*2*180*2*181*2*182*1*183*1*184*1*185*2*186*2*187*1*188*2~
SDQ*EA*92*190*2*191*1*192*2*193*1*194*1*198*2*199*2*201*2*202*2*203*2~
SDQ*EA*92*204*1*205*1*206*2*207*2*208*2*210*2*212*1*213*2*214*2*215*2~
SDQ*EA*92*216*1*217*2*218*2*219*1*220*2*221*1*222*1*223*1*224*2*225*1~
SDQ*EA*92*226*2*228*1*229*3*230*2*232*1*233*1*234*1*236*1*237*1*238*1~
SDQ*EA*92*239*2*240*3*243*1*245*2*246*2*247*2*248*2*249*1*250*2*251*2~
SDQ*EA*92*252*2*253*2*255*5*261*1*262*1*265*1*266*2*267*1*268*2*269*2~
SDQ*EA*92*270*1*271*1*272*1*273*2*274*1*275*1*276*2*277*3*278*1*279*2~
SDQ*EA*92*280*1*281*1*283*2*284*2*286*1*287*1*288*1*290*2*291*1*293*2~
SDQ*EA*92*294*1*295*3*296*2*297*2*299*2*301*2*302*1*303*2*304*2*305*1~
SDQ*EA*92*306*2*307*1*308*2*309*2*310*1*311*2*312*1*313*1*314*2*315*2~
SDQ*EA*92*316*2*317*2*318*1*319*1*320*2*321*2*322*2*323*2*324*2*325*2~
SDQ*EA*92*326*1*327*1*328*2*329*1*330*1*331*2*332*2*333*1*334*1*335*2~
SDQ*EA*92*336*1*337*1*338*1~
ZA*QP~
SDQ*EA*92*005*2*056*2*298*2*339*1~
ZA*QS~
CTP**RTL*18.99~
SDQ*EA*92*023*1*032*1*214*1*289*2*335*1~

ZA*QU~
 SDQ*EA*92*085*1*335*1~
 LIN**SK*12760419*UP*014671135787*MN*7959*UK*00014671135787~
 ZA*QA~
 SDQ*EA*92*001*1*003*2*004*1*005*1*006*1*007*2*008*1*010*2*011*1*012*2~
 SDQ*EA*92*013*2*014*5*015*2*016*2*019*2*022*2*023*1*024*2*025*2*026*2~
 SDQ*EA*92*027*2*028*2*029*1*030*3*031*2*032*1*033*2*036*1*037*3*038*2~
 SDQ*EA*92*039*2*040*2*041*1*042*1*043*2*044*3*045*1*047*1*048*1*049*2~
 SDQ*EA*92*050*2*051*1*052*2*053*1*054*3*055*2*056*1*057*2*058*1*060*1~
 SDQ*EA*92*061*2*062*1*063*1*065*2*066*1*067*2*068*1*070*1*071*2*072*2~
 SDQ*EA*92*073*1*074*1*075*1*076*2*077*1*078*2*079*2*081*1*082*2*084*1~
 SDQ*EA*92*085*1*086*2*087*1*088*1*089*2*090*1*091*1*092*2*093*1*094*1~
 SDQ*EA*92*096*2*097*1*098*1*099*2*100*1*102*2*103*2*105*1*106*2*107*2~
 SDQ*EA*92*108*4*112*1*113*2*116*4*117*2*118*1*119*2*120*1*121*1*122*2~
 SDQ*EA*92*123*1*124*1*125*2*126*2*127*2*130*2*131*1*132*1*134*2*135*1~
 SDQ*EA*92*136*2*137*1*138*2*139*2*140*2*141*3*143*2*146*2*148*1*149*2~
 SDQ*EA*92*153*1*154*2*155*2*158*2*160*1*161*1*167*2*173*1*174*2*175*2~
 SDQ*EA*92*180*1*181*2*182*1*183*3*184*1*185*2*186*1*187*2*188*2*190*1~
 SDQ*EA*92*191*1*192*1*193*2*194*1*198*1*199*2*201*2*202*1*203*2*204*2~
 SDQ*EA*92*205*1*206*1*207*2*208*2*210*2*212*1*213*2*214*1*215*1*216*2~
 SDQ*EA*92*217*2*218*2*219*2*220*2*221*2*222*1*223*1*224*2*225*1*226*2~
 SDQ*EA*92*228*2*229*1*230*1*232*2*233*2*234*2*236*2*237*2*238*1*239*1~
 SDQ*EA*92*240*2*243*1*245*1*247*2*248*3*249*2*250*2*251*2*252*1*253*2~
 SDQ*EA*92*255*2*261*1*262*1*265*1*266*1*267*2*268*2*269*2*270*1*271*2~
 SDQ*EA*92*272*2*273*3*274*2*275*2*276*1*277*2*278*2*279*1*280*2*281*1~
 SDQ*EA*92*283*2*284*1*286*2*287*1*288*2*289*2*290*1*291*2*293*1*294*1~
 SDQ*EA*92*295*2*296*2*297*2*298*1*299*3*301*1*302*2*303*1*304*2*305*1~
 SDQ*EA*92*306*2*307*1*308*2*309*1*310*2*311*1*312*2*313*1*314*2*315*4~
 SDQ*EA*92*316*1*317*1*318*2*319*1*320*2*321*2*322*1*323*2*324*2*325*2~
 SDQ*EA*92*326*1*327*1*328*1*329*2*330*2*331*1*332*2*333*2*334*1*335*1~
 SDQ*EA*92*336*1*337*2*338*2~
 ZA*QP~
 SDQ*EA*92*018*2*104*2*177*2*339*1~
 ZA*QS~
 CTP**RTL*18.99~
 SDQ*EA*92*008*1*022*1*036*1*041*1*046*1*080*1*153*1*205*1*230*1*246*1~
 SDQ*EA*92*301*1~
 ZA*QU~
 SDQ*EA*92*301*1~
 LIN**SK*12760666*UP*014671135602*MN*7959*UK*00014671135602~
 ZA*QA~
 SDQ*EA*92*003*1*005*1*006*1*013*-1*025*1*029*-1*030*1*031*3*040*1*044*1~
 SDQ*EA*92*052*1*053*-1*066*-1*077*1*079*-1*089*2*090*3*092*1*112*1*116*-1~
 SDQ*EA*92*121*1*122*1*160*-1*175*-2*193*-1*201*1*216*1*218*1*221*-1*224*1~
 SDQ*EA*92*225*-1*247*3*274*1*277*1*287*1*295*1*301*1*302*2*305*2*310*1~
 SDQ*EA*92*322*1*327*1*331*1~
 ZA*QS~
 CTP**RTL*1.56~
 SDQ*EA*92*122*1*240*1~
 LIN**SK*20265344*UP*014671531572*MN*9479*UK*00014671531572~
 ZA*QP~

SDQ*EA*92*940*168~
LIN**SK*20265351*UP*014671531602*MN*9479*UK*00014671531602~
ZA*QP~
SDQ*EA*92*940*168~
LIN**SK*20265369*UP*014671531633*MN*9479*UK*00014671531633~
ZA*QP~
SDQ*EA*92*940*168~
CTT*1117~
SE*15304*9330001~
GE*1*1188~
IEA*1*000001188~